



# Tabela de roscas



## Identificação de acessórios hidráulicos

PLATAFORMA DIGITAL



BSP	TPI	Macho	Fêmea	Hex
1/8"	28	9.7	8.9	14
1/4"	19	13.2	11.9	19
3/8"	19	16.5	25.2	22
1/2"	14	20.8	19.1	27
5/8"	14	22.4	20.3	30
3/4"	14	26.4	24.6	32
1"	11	33.0	31.0	41
1.1/4"	11	41.9	39.6	50
1.1/2"	11	47.8	45.5	55
2"	11	59.7	57.4	70

JIC	UNF	Macho	Fêmea	Hex
7/16"	20	11.2	9.9	14
1/2"	20	12.7	11.4	15
9/16"	18	14.2	12.9	19
3/4"	16	19.0	17.5	24
7/8"	14	22.3	20.3	27
1.1/16"	12	26.9	24.9	32
1.3/16"	12	30.0	28.2	36
1.5/16"	12	33.3	31.3	41
1.5/8"	12	41.4	39.2	50
1.7/8"	12	47.7	45.5	60



L	S	Macho	Fêmea	Hex
6		M12x1.5	10,5	14
8	6	M14x1.5	12,5	17
10	8	M16x1.5	14,5	19
12	10	M18x1.5	16,5	22
	12	M20x1.5	18,5	24
15	14	M22x1.5	20,5	27
	16	M24x1.5	22,5	30
18		M26x1.5	24,5	32
22	20	M30x2	28	36
28	25	M36x2	34	41
	30	M42x2	40	50
35		M45x2	43	50
42	38	M52x2	50	60

SAE 3000	SAE 6000	Diâmetro	Espessura	Distância
1/2"		30.2	6.7	31.8
3/4"		38.1	6.7	47.6
1"		44.4	8.0	52.3
1.1/4"		50.8	8.0	58.6
1.1/2"		60.3	8.0	69.8
2"		71.5	9.5	77.7
	1/2"	31.8	7.7	40.5
	3/4"	42.3	8.7	50.0
	1"	47.6	9.5	57.1
	1.1/4"	53.9	10.3	66.7
	1.1/2"	63.5	12.6	79.4
	2"	79.4	12.6	96.8

ORFS	UNF	Macho	Fêmea	Hex
9/16"	18	14.1	12.9	19
11/16"	16	17.4	15.9	22
13/16"	16	20.6	19.1	27
1"	14	25.2	23.6	30
1.3/16"	12	30.0	28.0	36
1.7/16"	12	36.3	34.4	41
1.11/16"	12	42.7	40.1	50
2"	12	50.6	48.5	60

